**Medical Materiel Set** Intermediate **Care Ward** Support and Consumables Handbook 6545-01-527-7613 **UA N310** LIN M08599<sup>SUS</sup> REVISED

January 2007
U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the U.S. Army Medical Materiel Agency, Materiel Acquisition Directorate, Acute Care Division, Fort Detrick, MD

This manual is still in draft form and may contain inaccuracies. To report inaccuracies or additions, please contact 301-619-4301/4316, DSN 343-4301/4316, or at <a href="mailto:USAMMACRM@amedd.army.mil">USAMMACRM@amedd.army.mil</a> Responses may also be mailed to:

Commander U.S. Army Medical Materiel Agency MCMR-MM0-AC 1423 Sultan Drive, Suite 100 Fort Detrick, MD 21702-5001

## TABLE OF CONTENTS

NOTE: CLICK ON TITLE FOR DIRECT LINK

<b>SECTION</b>	<b>DEVICE</b>	<u>NSN</u>	<b>PAGE</b>
NO			NO.
1	Cleaner Vacuum Electric	(J) 7910-01-327-0757	1
2	<b>Laryngoscope Set Fiber Optic Battery Operated</b>	(L) 6515-01-534-2369	5
3	Otoscope & Ophthalmoscope Set	(L) 6515-01-333-3165	9
4	Oximeter Pulse Finger	(L) 6515-01-466-0971	13
5	Pump Infusion Alaris	(J) 6515-01-486-4310	15
6	Refrigerator Freezer Mechanical Ward	(J) 4110-01-425-8009	19
<b>7</b>	Sink Unit Surgical Scrub	(J) 6530-01-429-6715	<b>21</b>
8	Suction Apparatus Surgical	(J) 6515-01-435-0050	<b>23</b>
9	Thermometer Kit, Clinical W/Case	(L) 6515-01-523-9935	<b>27</b>
10	Ultrasonic Unit Blood Flow Detection Donnler	(J) 6515-01-293-5578	29

### CLEANER VACUUM ELECTRIC VERTICAL TANK TOC

## MINUTEMAN INTERNATIONAL INC. MODEL # L0-065

Manufacturer's Phone: (630) 627-6900 Fax (630) 627-1130

Website: <a href="http://www.minutemanintl.com">http://www.minutemanintl.com</a>

AAC "W" ITEM NSN 7910-01-177-0622 AAC "J" ITEM NSN 7910-01-327-0757

UA's: N301, N308, N309, N310


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$ 1,640.47

**Features**: For use in the Operating Room; portable; infectious waste; lightweight with all the necessary components. Storage and Transit Conditions range in temperature from -80 degrees F to 155 degrees F. and air pressure up to 2.47 PSI; electric comp treatment for fungus resistance; for use in removing water or fluid material from floors; will also pick up small solids or mud; brand specific end item.



## **CHARACTERISTICS**

Dimensions	Height	38"
	Width	24"
	Length	26"
Weight		86 lbs
Cubic Ft		13.72
<b>Operating Temperature</b>		-80 deg F to 155F
<b>Operating Humidity</b>		2.47 psi
Storage Temperature		-80 deg F to 155F
Storage Humidity		2.47 psi
Power Requirements		120/130V 50 HZ 900W AC



## CLEANER VACUUM ELECRIC TANK ACCESSORIES

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
4470014961503	Filter, Hepa Hygenic	110010	1	EA	\$435.24	\$435.24	MINUTEMAN INTL INC	N	N	2
7910015280008	Adapter, Vacuum	750081-1	1	EA	\$62.87	\$62.87	MINUTEMAN INTL INC	N	N	2
7910015280264	Brush, (Bare Floor Tool)	800603	1	EA	\$29.62	\$29.62	MINUTEMAN INTL INC	N	N	2
7910015280253	Handle, Floor (Wand Assembly)	290000	1	EA	\$24.78	\$24.78	MINUTEMAN INTL INC	N	N	2
7910015280256	Hose, Vacuum Cleaner (1 ½" X 10")	800317	1	EA	\$47.15	\$47.15	MINUTEMAN INTL INC	N	N	2
7920015310978	Squeegee (14")	800605	1	EA	\$25.99	\$25.99	MINUTEMAN INTL INC	N	N	2
7910015280260	Vacuum, (16" Carpet & Rug Tool)	807237	1	EA	\$18.74	\$18.74	MINUTEMAN INTL INC	N	N	2

### LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED TOC WITH CASE

#### WELCH ALLYN INCORPORATED

Manufacturer's PHONE: (315) 685-4560 FAX (315) 683-3361

Website: http://www.welchallyn.com

### AAC "L" ITEM NSN 6515-01-534-2369

UA's: N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$425.00** 

### **Special Features:**

- Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.
  - Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
  - Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
  - Single-piece stainless steel blades ensure blade integrity (no soldered joints).



Laryngoscope Fiber Optic Kit with 3 blades NSN 6515-01-534-2369



with Pelican Case NSN 6515-01-534-3305



Macintosh Reusable # 3, Fiber Optic Blade NSN 6515-01-467-3430



Handle Size C Fiber Optic Handle NSN 6515-01-445-1082



MAC 3 Fiber Optic Blade NSN 6515-01-445-1085



Miller # 3 Fiber Optic Blade NSN 6515-01-519-4239

## **CHARACTERISTICS**

Case Dimensions	Height	19 1/2"
	Width	14"
	Depth	4 3/4"
Weight	9.545 lbs	
Cubic Feet	.154	
Power Requirements	Battery Operated D CELL C	
_	Cell "AA" cell required	

# LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES START-UP

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515-01-534-2369	FIBER OPTIC KIT W/PELICAN CASE	1	EA		\$30.37	\$30.37	WELCH ALLYN	N∖A	N	2
0313-01-334-2309	W/FELICAN CASE	1	EA		\$30.37	\$30.37	WELCH	IN/A	IN	2
6515-01-445-1082	"C" SIZE HANDLE	1	EA	60813	\$79.39	\$79.39	ALLYN	N∖A	N	2
6515-01-467-3430	ENGLISH MACINTOSH SIZE 3	1	EA	69213	\$92.22	\$92.22	WELCH ALLYN	N∖A	N	2
6515-01-519-4239	MILLER BLADE SIZE 3	1	EA	68063	\$182.59	\$182.59	WELCH ALLYN	N∖A	N	2
6515-01-445-1085	MAC 3 FIBER OPTIC BLADE	1	EA	69063	\$110.00	\$110.00	WELCH ALLYN	N A	N	2
6515-01-519-4257	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.48	WELCH ALLYN	N A	N	2
6240-01-526-9631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N A	N	2

# LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART#	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515-01-519-4257	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.48	WELCH ALLYN	N∖A	N	2
6240-01-526-9631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N∖A	N	2

#### OTOSCOPE & OPHTHALMOSCOPE SET TOC

### WELCH ALLYN MODEL 92821

Manufacturer's PHONE: (503) 530-7500 FAX (503) 526-4919

Website: <a href="http://www.welchallyn.com">http://www.welchallyn.com</a>

#### AAC "L" ITEM NSN 6515-01-333-3165

UA's: 2256, 2264, 2265, 3264, 9103, 9110, 9111, N309, N310, N311

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$230.58

#### **Features:**

- 2.5V Pocket Scope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has 6 aperture selections for general and specialist use, and 48 lenses for better resolution.
  - 2.5V Otoscope also has built-in throat illuminator two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification.
  - 2.5V Pocket Scope handle has a smooth rheostat to control light intensity and features a handy pocket clip.



## ACCESSORIES PACKAGE START-UP

NSN	NOTES	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6515015205740		BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	FA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1		03900-U		\$13.21	WELCH/ALLYN		N	2
6515015205763	INCLUDED WITH NSN	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725		HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2
6545015190982		CASE SOFT ZIPPER F/POCKETSCOPE	1	EA	05928-U	\$12.00	\$12.00	WELCH/ALLYN	indef	N	2

## CONSUMABLES/ OPTIONAL/RESUPPLY

NSN	NOTES	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6135009857845		BATTERY NONRECHARGEABLE ALKALINE 1.5V 1 YEAR SHELF LIFE 24S, AA CELL	1	PG	20-0571- 1988 NEDA 15A	\$4.78	\$4.78	AMERICAN NATIONAL STANDARDS INST	indef	N	2
6515015250236		DISPOSABLE SPECULA 4.25MM, 800 COUNT/BAG	1	PG		\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015250240		DISPOSABLE SPECULA 2.75MM, 800 COUNT/BAG	1	BX	31237- 020A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515013294847		SPECULUM OTOSCOPE SLIT TYPE 4MM SIZE ADULT PLAS 1000s	1	PG	52434	\$19.25	\$19.25	WELCH/ALLYN	N	2	2

## ACCESSORIES PACKAGE RESUPPLY

NSN	INCLUDED WITH NSN	Nomenclature	QTY	UI	PART#	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONU S Ship Time, weeks
6515015205740	INCLUDED WITH	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515015205763	INCLUDED WITH	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	INCLUDED WITH NSN	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	INCLUDED WITH NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2

#### OXIMETER PULSE, FINGER TOC

### NONIN MEDICAL INC. MODEL # 9500

Distributors' PHONE: (540) 662-8000 Fax (800) 590-0081

Website: <a href="http://www.nonin.com">http://www.nonin.com</a>.

AAC "L" ITEM NSN 6515-01-466-0971

UA's: 2256, 2261, 2264, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$350.00** 

**Features:** Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9500 Pulse Oximeter. Just place the Nonin 9500 pulse oximeter over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9500 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

The pulse oximeter has a bright LED digital display that is easy to read. The Nonin 9500 comes with a handy lanyard wrist cord, 2 AAA Batteries and Instruction / Service Manual. The manufacturer backs up the quality and durability of this convenient device with a full TWO-YEAR WARRANTY Oxygen Sat. Range: 0-100 %

• Pulse Rate Range: 18-300 BPM

- Up to 1600 Spot-Checks On One Set Of Batteries
- Proven Accuracy and Durability





## **CHARACTERISTICS**

Dimensions	Height	1.3"
	Width	1.3"
	length	2.2"
Weight, lbs.	2 ozs	
<b>Operating Temperature</b>	+32° to +122°F	
Operating Humidity	10% to 90 %	
Storage Temperature	-22° to +122°F	
Storage Humidity	10% to 90%	
Power Requirements	1.5 volt AAA Battery	18 hours continuous
		operation
Operating Altitude	Up to 30,000 feet	

## PULSE OXIMETER ACCESSORIES/CONSUMABLES START-UP

					Unit			Shelf Life, month	g	CONU S Ship Time,
NSN	Nomenclature	PN	QTY	UI	Price	Total Price	MFG	S	Y/N	weeks
	1.5 Volt AAA Size			6S/			Infusion			
6515014981114	Batteries	0040-0062	1	PG	\$4.07	\$4.07	Dynamics	N	N	2

#### PUMP, INFUSION ALARIS TOC

## ALARIS MEDSYSTEM 111 MODEL 2865B

Manufacturer's PHONE: (858) 458-6003, Fax (858) 458-7507

Website: http://www.alarismed.com

AAC "W" ITEM NSN 6515-01-381-4456 AAC "J" ITEM NSN 6515-01-486-4310

UA's: 0257, 2257, 2267, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$5,704.51

**System Description:** Three independent infusion channels for the delivery of a wide range of fluids from various containers including syringes. Also provides a secondary delivery of intermittent medications, fluid challenges, or loading doses from each channel. Each line can deliver a separate drug, helping to eliminate incompatibility and drug sequencing concerns.

**Advantages:** 1. Rapid on-line titration w/o interrupting flow. 2. Configurable air-in-line thresholds, rate and volume ranges, occlusion alarm settings and KVO rates. 3. Titration of drugs in either dose or volumetric rate. 4. Streamlined PMCS and calibration processes.





Administrative Set Piggy Back (72213N) NSN 6515014164032 (100 PG)



Administrative Set Main Stream Line (28034) NSN 6515014348712 (50 PG)

## IV PUMP PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	7.9"
	Width	6.0"
	Depth	2.1"
Weight		3.6 lbs
Internal Battery		Main Rechargeable Nicad Battery, Memory Backup
		Non-rechargeable Lithium
Battery Capacity		Minimum 6 hours with all three channels at 125 ml/hr
Operating Temperature		
		50°F to 104°F
Humidity		90 %
Power Requirements		110/120VAC/60HZ
_		6 WATTS AC POWER

## IV PUMP CONSUMABLES START-UP

NSN	Nomenclature	PN	QTY	UI			Total Price		Shelf Life, months	Refrig	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG	28034	\$399.11		ALARIS MEDICAL	Indef	N	2
6515014164032	Administration set		01	100PG	72213N	\$184.12		ALARIS MEDICAL	Indef	N	2

## IV PUMP CONSUMABLES RESUPPLY

NSN	Nomenclature	PN	QTY	UI	PART#	UNIT PRICE	Total Price		Shelf Life, months	Refrig	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG	28034	\$399.11	\$399.11	ALARIS MEDICAL	Indef	N	2
6515014164032	Administration set		01	100P G	72213N	\$184.12	\$184.12	ALARIS MEDICAL	Indef	N	2

#### REFRIGERATOR-FREEZER MECHANICAL FIELD WARD TOC

## MARVEL INDUSTRIES DIV OF NORTHLAND CORP MODEL # 6CRF

Manufacturer's PHONE: (765) 962-2521 FAX (765)-962-2493

WEB SITE: www.marvelindustries.com

AAC "W" ITEM NSN 4110-01-180-3420 AAC "J" ITEM NSN 4110-01-425-8009

UA's: N302, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$660.60** 

**Description:** Six cubic foot under counter refrigerator/freezer fits easily under lab benches and casework. Forced air ventilation eliminates need for clearance space in built-in applications. Manual defrost, 5.3 cubic foot refrigerator capacity and .7 cubic foot freezer capacity. Dual voltage capable, carrying handles and olive drab paint scheme.



### **Characteristics**

<b>Overall Dimensions</b>		
	Height	34 in
	Width	23 7/8 in
	Depth	24 in
Weight	120 lbs	
Cubic Ft	17.2 Cu Ft	
Refrigerant	Uses R-134A Refrigerant	
Power Supply	Dual voltage120/220 VAC 50/60 Hz 320 Watts,	
	1200 Watt surge	



## REFRIGERATOR-FREEZER OPTIONAL ACCESSORY

NSN	Notes	Nomenclature	PN	ОТҮ	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
	OPTIONAL	Temperature						MARVEL			
6685015296385	ITEM	Monitor/Alarm	TMAF	1	EA	\$218.00	\$218.00	INDUSTRIES	N/A	N	2

## COMPANY IS OUT OF BUSINESS ITEMS ARE STILL IN STOCK

#### SINK UNIT SURGICAL SCRUB TOC

RAN-PAIGE CO INC MODEL 0200-96-C-8509

AAC "W" ITEM NSN 6530-01-431-9005 AAC "J" ITEM NSN 6530-01-429-6715

UA's: N301, N308, N309, N310, N311

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$946.74

**Special Features**: Portable and light weight. Consists of a hollow tubular frame support, a plastic polypropylene basin, a pump and a heater, a foot pedal and associated tubing and electrical components. Electrical and water are activated by the foot pedal. The water heater is an encapsulated inline type 1200 to 1300 Watts. The maximum water temperature is 125 degrees. This includes a reusable container.



### **CHARACTERISTICS**

Dimensions	Height	N/A
	Width	N/A
	Depth	N/A
Weight	59 lbs	
Cubic ft	6.16	
Power Requirements	115/230 VAC, 50/60 Hz	
_	1300 Watts	

#### SUCTION APPARATUS SURGICAL TOC

## IMPACT INSTRUMENTATION INC MODEL # 326M

Manufacturer's PHONE: (973)-882-1212 FAX (973)-882-4993

Website: <a href="http://www.impactii.com">http://www.impactii.com</a>

AAC "W" ITEM NSN 6515-01-460-9174 AAC "J" ITEM NSN 6515-01-435-0050

UA's: N301, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE: \$1,600.00** 

**System Description**: The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite® vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup.



**IMPACT 326M** 



# IMPACT 326M PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	11.5"
	Width	9.5"
	Depth	4.87"
Weight	Analyzer	30 lbs, Unit 12 lbs
Operating		-4° F to 120° F
Temperature		
Humidity	Tested to level required	94±4%RH, 85° F±3.6° F
	for Air Worthiness	$(29.5^{\circ}C\pm 2^{\circ}C) \text{ f/ 4 hrs.}$
<b>Power Requirements</b>		115/230 V AC, 50-400 HZ,
		100 Watts, 2.5 Amps
		Steady State

## **IMPACT 326M CONSUMABLES**

										CONUS
								Shelf		Ship
NIGNI	37 1	DAT	OTT		Unit	Total	) ITEC	1	Refrig	
NSN	Nomenclature	PN	QTY	UI	Price	Price	MFG	months	Y/N	weeks
	TUBING,						OWENS AND			
6515014975761	SUCTION	358388266148	12	EA	\$4.47	\$53.64	MINOR	N/A	N	2
	HYDROPHOBIC						IMPACT			
6515011942187	FILTER	465-0005-00	6	EA	\$8.28	\$49.68	INSTRUMENTS	N/A	N	2
	14FR. SUCTION						IMPACT			
6515015039498	CATHETER	820-0004-00	6	EA	\$1.58	\$9.48	INSTRUMENTS	N/A	N	2
	18FR. SUCTION						IMPACT			
6515015039501	CATHETER	820-0005-00	6	EA	\$1.58	\$9.48	INSTRUMENTS	N/A	N	2
	1200CC									
	DISPOSABLE						IMPACT			
6515014493193	JAR	410-0004-10	1	10 PK	\$36.90	\$36.90	INSTRUMENTS	N/A	N	2
	CANISTER									
	ASSY SUCT						MEDLINE			
	SURG PLASTIC						INDUSTRIES			
6515014862077	2000CC	494410	2	48/EA	\$205.00	\$410.00	INC	N/A	N	2
	SUCTION AND									
	IRRIGATION									
	ASSEMBLY						STRYKER			
6515014441638	SURGICAL	207-559	6	PG	\$335.00	\$2,010.00	CORP	N/A	N	2

## **IMPACT 326M ACCESSORIES PACKAGE**

NOV	N. L.	DV	OTV		Unit	Total	MEG	. ,	Refrig	
NSN	Nomenclature	PN	QTY	UI	Price	Price	MFG	months	Y/N	weeks
	REUSABLE COLLECTION JAR	703-					IMPACT			
6515015039456	ASSEMBLY	0326-07	1	EΑ	\$53.82	\$53.82	INSTRUMENTS		N	

#### THERMOMETER KIT, CLINICAL W/CASE TOC

## WELCH ALLYN INCORPORATED MODEL#: 01692-MC

Manufacturer's PHONE: (315) 685-4560 FAX (315) 685-3361

Website: <a href="http://www.welchallyn.com">http://www.welchallyn.com</a>

AAC "L" ITEM NSN 6515-01-523-9935

UA: N308, N309, N310, N311

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

**UNIT PRICE:** \$ 639.00

**System Description:** The digital thermometer is battery operated with interchangeable oral and rectal probes; includes probe case, four (4) boxes of probe covers, with twenty-five (25) per box. The thermometer can be mounted to the wall. There are three (3) extra AA batteries, and it comes in a case with inserts.


#### **Special Features:**

**ORAL/AND** 

RECTAL

**PROBES** 

- 1. Provides 4-second oral, 10-second pediatric axillary temperature for children seventeen (17) years and younger, 10-second rectal, and 15-second axillary temperatures (for eighteen (18) years and older).
- 2. Monitor mode capability for measuring 3-5 minute temperatures
- 3. Used probe covers may be ejected



## **CHARACTERISTICS**

Dimensions of Case	Length	11"
	Height	5"
	Width	7"
Weight	Lbs	1.9
Cube		.5

# THERMOMETER, CLINICAL KIT CONSUMABLES/ACCESSORIES START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015225307	INCLUDED W/NSN	Soft Case	49099	1	EA	\$193.00	\$193.00	WELCH ALLYN	N/A	N	2
6515015257595	INCLUDED W/NSN	SureTemp Plus 692 Thermometer w/oral probe and well	01692-200	1	EA		\$215.00	WELCH ALLYN	N/A	N	2
6515015324146	INCLUDED W/NSN	4" Rectal Probe and Well	02892-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2
6515015324116	INCLUDED W/NSN	Holder for spare Probe and Well	21330-000	1	EA	\$10.83	\$10.83	WELCH ALLYN	N/A	N	2
See Resupply	INCLUDED W/NSN	3 each Spare Alkaline Batteries (AA)	53009-000	1	EA	\$3.00	\$3.00	WELCH ALLYN	N/A	N	2
6515012031332	INCLUDED W/NSN	Cover Electronic Thermometer Probe Plastic Disposables (1,000s)	05031-101	1	40BX OF 25's		\$21.00	WELCH ALLYN	N/A	N	2

# THERMOMETER, CLINICAL KIT CONSUMABLES/ACCESSORIES RESUPPLY

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
		Cover Electronic			40BX						
	INCLUDED	Thermometer Probe Plastic			OF			WELCH			
6515012031332	W/NSN	Disposables (1,000s)	05031-101	1	25's	\$21.00	\$21.00	ALLYN	N/A	N	2
	INCLUDED		W-B-101								
6135009857845	W/NSN	Alkaline Batteries (AA) (24s)	CL12	1	EA	\$7.52	\$7.52	GSA	N/A	N	2
	INCLUDED							WELCH			
6515015324146	W/NSN	4" Rectal Probe and Well	02892-000	1	EA	\$54.45	\$54.45	ALLYN	N/A	N	2
	INCLUDED							WELCH			
6515015331281	W/NSN	4" Oral Probe and Well	02893-000	1	EA	\$54.45	\$54.45	ALLYN	N/A	N	2

#### ULTRASONIC UNIT BLOOD FLOW DETECTION DOPPLER TOC

## COOPER SURGICAL, INCORPORATED MODEL # D8

Manufacturer's PHONE: (203) 601-5200 Fax (203) 601-1007

Website: www.coopersurgical.com

AAC "W" ITEM NSN 6515-01-192-9456 AAC "J" ITEM NSN 6515-01-293-5578

UA's: N301, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403 UNIT PRICE: \$2,995.00

**Features:** Detect air emboli during surgery where significant gravitation gradient exists between the heart and the operating site. Assess vessel potency or monitor and evaluate blood flow at surgical site. Obtain systolic blood pressure measurements during surgery. Flexible design allows for one Doppler and multiple probe frequencies.



### **CHARACTERISTICS**

Dimensions	Height	25.4 cm
	Width	25.4 cm
	Length	12.2 cm
Weight		12 lbs
<b>Operating Temperature</b>		+10C -+ 40C
Operating Humidity		30% - 70%
Storage Temperature		+10C - +40C
Storage Humidity		30% - 70%
<b>Power Requirements</b>		120/130VAC 50/60 HZ

11.5 cm Pencil Frequency: 8 MHz



## ULTRASONIC UNIT BLOOD FLOW DETECTION ACCESSORY

NSN	Nomenclature	PN	ОТҮ	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
11011	Tromenetation		Q.1.1		Cint Fried	11100		momm	2/11	Weeks
							Cooper Surgical			
6515014916202	Model P82 Pencil Style Probe	101-0013-010	1	EΑ	\$1,095.00	\$1,095.00	Inc.	Indef	N	3